



NOTES:
 Horizontal Coordinate System:
 North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Oregon South Zone. Distance units in U.S. Survey Feet.
 Vertical Datum:
 Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW) 1985-2001. MLLW is 0.49 feet below the North American Vertical Datum (NAVD 88) at the Coast Guard Dock.
 River mileage conforms to the River Mile Index of the Hydrology and Hydraulics Committee, Pacific Northwest River Basins Commission, June 1968.
 The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general channel conditions existing at that time and is in support of channel maintenance only.
 ** Shoalest Sounding per Quarter per Reach
 STAFF GAGE AT COAST GUARD DOCK: Northing: 161793 Easting: 3898013
 CONDITION PREDREDGE POSTDREDGE

LEGEND	
	Federal Navigation Channel
	Federal Navigation Channel Centerline
	Pipeline, Submarine On Land Line
	Cable, Overhead
	Cable, Submarine
	Pipeline, Overhead
	Anchorage Area
	Dredged Material Placement Area
	Cable Area
	Pipeline Area
	Shoaling Area
	Buoy, Lateral
	Buoy, Cardinal
	Buoy, Isolated Danger
	Buoy, Safe Water
	Buoy, Special Purpose
	Beacon, General
	Contour Lines
	Benchmark
	Pylon Bridge Support
	Rock
	Obstruction Point
	Wreck-Submerged
	Staff Gage
	Recording Gage
	Shoalest Sounding**

CHETCO RIVER, OREGON

DISPOSAL

25 May 2024

SCALE IN FEET
 0 500 1,000 1,500 2,000 2,500

SUBMITTED: _____ APPROVED: _____
 RECOMMENDED: _____ CHIEF, WATERWAYS MAINTENANCE SECTION
 CHIEF SURVEY SECTION SURVEYED: _____ PLOTTED: _____ CHECKED: _____

CH_00_CHD_20240525_PA

2012 Aerial Photography data source: USDA, Service Center Agencies - Reference is Navigation Chart No. 18602