


WASHINGTON



NOTES:
 Horizontal Coordinate System:
 North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Oregon North Zone. Distance units in U.S. Survey Feet.
 Vertical Datum:
 Soundings are shown in feet and indicate depths below Columbia River Datum. CRD is 1.88 feet above the North American Vertical Datum of 1988 (NAVD 88 Geoid 09) at Columbia River Mile 51.6, 1.50 feet above at River Mile 51.4.
 River mileage conforms to the River Mile Index of the Hydrology and Hydraulics Committee, Pacific Northwest River Basin Commission, July 1972.
 The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general channel conditions existing at that time and is in support of channel maintenance only.
 ** Shoaltest Sounding per Quarter per Reach
 STAFF GAGE AT LIGHT 76: Northing: 921897 Easting: 7509581
 STAFF GAGE AT LIGHT 79: Northing: 923885 Easting: 7514392
 STAFF GAGE AT LIGHT 80: Northing: 923773 Easting: 7513595
 CONDITION PREDREDGE POSTDREDGE

LEGEND

COLUMBIA AND LOWER WILLAMETTE RIVERS
 BELOW VANCOUVER, WASH. AND PORTLAND, OREG.
COLUMBIA RIVER
EUREKA BAR
 22 April 2024
 SCALE IN FEET
 0 500 1,000 1,500 2,000 2,500
 SUBMITTED: _____ APPROVED: _____
 RECOMMENDED: _____ CHIEF, WATERWAYS MAINTENANCE SECTION
 CHIEF, SURVEY SECTION SURVEYED: _____ PLOTTED: _____ CHECKED: _____
 CL_13_EURX_20240422_CS

THE EXISTING PROJECT
 The existing project provides for a channel 43 feet deep and 600 feet wide from deep water in the Columbia River Entrance at river mile 3.0 to river mile 101.4 at the Mouth of the Willamette River.

OREGON