



NOTES:
 Horizontal Coordinate System:
 North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Oregon South Zone. Distance units in U.S. Survey Feet.
 Vertical Datum:
 Soundings are shown in feet and indicate depths below Mean Lower Low Water 1983-2001. MLLW is 0.70 feet below the North American Vertical Datum (NAVD 88) at Light 17, 0.80 feet at Light 21.
 River mileage conforms to the River Mile Index of the Hydrology and Hydraulics Committee, Pacific Northwest River Basins Commission, June 1968.
 The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general channel conditions existing at that time and is in support of channel maintenance only.
 ** Shoalest Sounding per Quarter per Reach
 STAFF GAGE AT LIGHT 17: Northing: 774751 Easting: 3952989
 STAFF GAGE AT LIGHT 21: Northing: 779575 Easting: 3961923
 CONDITION PREDREDGE POSTDREDGE

LEGEND

2012 Aerial Photography data source: U.S.D.A., Service Center Agencies - Reference is Navigation Chart No.18584

**UMPQUA RIVER,
OREGON**

MILE SIX BAR

03 December 2024

SCALE IN FEET
0 300 600 900 1,200 1,500

SUBMITTED: _____ APPROVED: _____
 RECOMMENDED: _____ CHIEF, WATERWAYS MAINTENANCE SECTION
 CHIEF, SURVEY SECTION _____ SURVEYED: _____ PLOTTED: _____ CHECKED: _____

UM_04_UM4_20241203_CS