


WASHINGTON

OREGON



OVERHEAD POWER CABLE
AUX CL 157 FT.
CLEARANCE REFERS TO THE
75-FEET PLANE.

SUBMARINE CABLE
CROSSING AREA

Dallesport

Rocky Point

Taylor Lake

Squally Point

The Dalles

NOTES:

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Oregon North Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings and elevations are shown in feet and are referred to a datum plane which is 73.3 feet (Minimum Pool Elevation) above North American Vertical Datum of 1988 (NAVD 88).

River mileage conforms to the River Mile Index of the Hydrology and Hydraulics Committee, Pacific Northwest River Basin Commission, July 1972.

The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general channel conditions existing at that time and is in support of channel maintenance only.

** Shoalest Sounding per Quarter per Reach

STAFF GAGE AT STEEL DOLPHIN: Northing: 718725 Easting: 8023184

THE EXISTING PROJECT
Provides for a channel *27 feet deep and 300 feet wide from the Interstate Bridge at Columbia river mile 106.5 to the port terminal facilities at The Dalles at river mile 189.7.

*The 27 foot channel is presently maintained at 17 feet.

LEGEND

COLUMBIA RIVER BETWEEN VANCOUVER, WASH. AND THE DALLES, OREG.
COLUMBIA RIVER
CRATES POINT
03 February 2020
SCALE IN FEET
0 500 1,000 1,500 2,000 2,500

SUBMITTED: _____ APPROVED: _____
RECOMMENDED: _____ CHIEF, WATERWAYS MAINTENANCE SECTION
CHIEF, SURVEY SECTION SURVEYED: _____ PLOTTED: _____ CHECKED: _____
CL_51_CRP_20200203_CS
8,020,000 710,000

8,025,000
8,020,000
8,015,000

8,030,000
8,025,000
8,020,000